

## SAFETY DATA SHEET (SDS)

Section 1. Identific	ation				
Product identifier STAIN LIFT SPRAY					
Other means of identification 11454					
Recommended use and restrictions on use Protector. 454 g aerosol contained	er.				
Initial supplier identifier Asalco Inc. 44, ch. Des Ursulines, Stanstead, Qué	Ebec (Canada), JOB 3E0				
Telephone 819-876-2211; Fax 819-876-5373; Int	ernet www.asalco.com				
Emergency telephone number/restriction on use Canada – CANUTEC 24 h	our number 613-996-6666				
Section 2. Hazard iden	tification				
Classification of hazardous product (name of the category or subcategory of	the hazard class)				
Extremely flammable aerosol (Category 1)	·				
Gas under pressure (compressed gas)					
Skin irritation (Category 2)					
Eye irritation (Category 2A)					
Sensitization – Skin (Category 1)					
Aspiration hazard (Category 1)					
Acute toxicity inhalation (Category 4)					
Specific target organ toxicity - single exposure (Category 3), Central nervous sys	tem				
Carcinogenicity (Category 2)					
Reproductive toxicity (Category 2)					
Information elements (symbols, signal words, hazard statements and precaut	ionary statements of the categor	y/subcategory)			
Danger U222 Entermole florence ble concel					
H222 Extremely flammable aerosol.					
H229 Pressurized container: may burst if heated. H280 Contains gas under pressure; may explode if heated.					
H304 May be fatal if swallowed and enters airways.					
H315 Causes skin irritation.					
H317 May cause an allergic skin reaction.					
H319 Causes serious eye irritation.					
H332 Harmful if inhaled.					
H336 May cause drowsiness or dizziness.					
H351 Suspected of causing cancer.					
H361 Suspected of damaging fertility or the unborn child.					
	*** May displace oxygen and cause rapid suffocation. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions				
have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not					
spray on an open flame or other ignition source. P251 Do not pierce or burn, even after use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.					
P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing					
should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF					
SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING. P302+P352 IF ON SKIN, Wash with plenty of water for several					
minutes. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362+P364 Take off contaminated clothing and wash it before reuse.					
P305+P351+P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.					
P337 + P313 If eye irritation persists: Get medical attention. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for					
breathing. P312 Call a doctor if you feel unwell. P308 + P313 IF exposed or co					
from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a					
locked up. P501 Dispose of contents/container into safe container in accordance v		lations.			
	simple asphyxiant***				
Section 3. Composition/information on ingredients					
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)			
Hexane	110-54-3	10-30			
Perchloroethylene (Tetrachloroethylene)	127-18-4	15-40			
2-Methylpentane	107-83-5	10-30			
Carbon tetrachloride	56-23-5	< 1			
Isobutane	75-28-5	15-40			
Propane	74-98-6	3-7			
* Statement - This safety data sheet provides concentration range(s) instead	of the actual concentration(s) consider	red trade secret(s).			



Tabalation	Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.			
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if			
	victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.			
Skin contact	IF ON SKIN, Wash with plenty of water for several minutes (15-20). If skin irritation occurs: Get medical attention.			
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). It skin inflation occurs: Get incure attention.			
Lye contact	do. Continue rinsing. If eye irritation persists: Get medical attention.			
Most important symptoms	s and effects (acute or delayed) Eye or skin irritation.			
	<b>redical attention/special treatment</b> In all cases, call a doctor. Do not forget this document.			
	Section 5. Fire-fighting measures			
Specific hazards of the haz	zardous product (hazardous combustion products)			
Carbon oxides and other irri				
Suitable and unsuitable ex				
	lioxide, chemical powder agent and appropriate foam to extinguish.			
	ent and precautions for fire-fighters			
	c smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper			
	If-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.			
Move containers from fire an	rea if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.			
	Section 6. Accidental release measures			
	tective equipment and emergency procedures			
	completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should			
	ve equipment (See Section 8).			
	r containment and cleaning up			
	top the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then			
	er for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product.			
Notify the appropriate author				
Dressutions for sofe hand	Section 7. Handling and storage			
Precautions for safe handl				
Wear protective gloves/ protective clothing/ eye protection/ face protection. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not spray on an open flame or other ignition source. Do not				
pierce or burn, even after use. Use only outdoors or in a well-ventilated area.				
Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene				
measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers				
for leaks before handling. Label containers appropriately. Ensure proper ventilation. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid				
contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep				
away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to				
Section 8. Keep out of reach of children.				
	e, including any incompatibilities			
Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10).				
Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of				
obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.				
Section 8. Exposure controls/Personal protection				
	gical limit values or exposure limit values and source of those values)			
	8-6 & 75-28-5 – ACGIH – TLV-TWA (STEL) and/or PEL-TWA 1000 ppm. CAS 110-54-3 – ACGIH – TLV-TWA 50 ppm. CAS 127-18-4 – ACGIH – TLV-TWA 25 ppm (STEL 100 ppm) and/or PEL-TWA 25 ppm; CAS 107-83-5 –			
	ppm (STEL 1000 ppm); CAS 56-23-5 – ACGIH – TLV-TWA 5 ppm (STEL 100 ppm); CAS 56-23-5 – ACGIH – TLV-TWA 5 ppm (STEL 10 ppm);			
Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure				
	ewash stations, safety/quick-drench showers, and washing facilities available in work area.			
Individual protection measures/personal protective equipment				
Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits				
	rotective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn			
during all handling operatio	ns. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly			
	drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash			
contaminated work clothing before re-use.				



Section 0 Developed and a	homical proportion	2	
Section 9. Physical and c       Appearance, physical state/colour     Off-white liquid (aerosol)	Vapour pressure	Not available	
Odour Petroleum	Vapour density	Heavier than air	
Odour threshold Not available	Relative density	~0.935	
pH Not available	Solubility Neglis		
Melting/freezing point     Not available			
Initial boiling point/range     Not available	Partition coefficient - n-octanol/water Not available   Auto-ignition temperature Not available		
Flash point     Not available (flame projection > 45 cm & no flashback)	Decomposition tem		
<b>Evaporation rate</b> Not available	Viscosity Not ava		
Flammability (solids and gases) Extremely flammable aerosol	VISCOSITY Not availa		
Upper and lower flammability/explosive limits Not available	Other None kno		
Section 10. Stability		WII	
Reactivity			
Does not react under the recommended storage and handling conditions prescri	ibed		
Chemical stability	ibed.		
Stable under the recommended storage and handling conditions prescribed.			
Possibility of hazardous reactions			
Keep away from heat, hot surfaces, sparks, open flames and other ignition so	aurces. Do not pierce o	or burn even after use Protect from sunlight Do	
not expose to temperatures exceeding 50 °C/122 °F.	urees. Do not prefee e	s buill, even alter use. I foldet from sumght. Do	
Conditions to avoid (static discharge, shock or vibration)			
Keep away from heat, hot surfaces, sparks, open flames and other ignition s	ources. No smoking	Do not spray on an open flame or other ignition	
source. Do not pierce or burn, even after use. Protect from sunlight. Do not e			
Incompatible materials	ipose to temperatures	, one of the	
Oxidizing materials; etc.			
Hazardous decomposition products			
None known			
Section 11. Toxicologi	ical information		
Information on the likely routes of exposure (inhalation, ingestion, skin a			
Causes skin irritation. May cause an allergic skin reaction. Causes serious ey		atal if swallowed and anters airways. Harmful if	
inhaled. May cause drowsiness or dizziness. Suspected of causing cancer. Sus			
and cause rapid suffocation.	spected of damaging f	ertifity of the unborn ennu. May displace oxygen	
Symptoms related to the physical, chemical and toxicological characteristics			
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing; Respiratory tract irritation, coughing, shortness of breath, dizziness,			
drowsiness, nausea and headaches.	copilatory later lina	alon, coughing, shorthess of oreaan, allemess,	
Delayed and immediate effects (chronic effects from short-term and long	g-term exposure)		
Skin Sensitization – Possible; Respiratory Sensitization – No data available;	Germ Cell Mutageni	city – No data available: Carcinogenicity – CAS	
Ingredient listed by IARC, ACGIH, NTP; Reproductive Toxicity – Possible; S			
Target Organ Toxicity — Repeated Exposure – No data available; Aspiratio			
data available.	· · · · · · · · · · · · · · · · · · ·		
Numerical measures of toxicity (ATE; LD50 & LC50)			
CAS 75-28-5 CL <sub>50</sub> 658000 mg/m <sup>3</sup> 4 hrs (rat); CAS 110-54-3 DL <sub>50</sub> Oral - Rat	t – 25 g/kg & CL <sub>50</sub> - R	Rat – 48000 ppm 4H; CAS 127-18-4 DL <sub>50</sub> Oral -	
Rat – 2629 mg/kg & CL <sub>50</sub> - Rat – 3786 ppm 4H;			
ATE not available in this document.			
Section 12. Ecologic	al information		
<b>Ecotoxicity (aquatic and terrestrial information)</b> No data available for			
<b>Persistence and degradability</b> No data available for this product.	1		
<b>Bioaccumulative potential</b> No data available for this product.			
Mobility in soil No data available for this product.			
Other adverse effects No data available			
Section 13. Disposal	considerations		
Information on safe handling for disposal/methods of disposal/contamina			
Dispose of contents/container into safe container in accordance with local, re		ulations.	
Section 14. Transport information			
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations			
UN1950; AEROSOLS; CLASS 2.1	ic 120 Regulativits		
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)			
UN1950; AEROSOLS; CLASS 2.1			
UN number; Proper shipping name; Class(es); Packing group (PG) of th UN1950; AEROSOLS, FLAMMABLE; CLASS 2.1	іс 1А I А (аїг <i>)</i>		
Environmental hazards (IMDG or other) None			
Bulk transport (usually more than 450 L in capacity)Not possible			



	Section 15. Regulatory information			
Safety/health C	anadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance			
	with the hazard criteria of the Hazardous Products Regulations (HPR).			
Environmental	Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL			
Safety/health/er	nvironmental outside regulations specifics			
United States OS	SHA information: This product is regulated according to OSHA (29 CFR).			
United States EF	PA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.			
United States TO	CSA information: Refer to the ingredients listed in Section 3.			
National Fire Pro	otection Association (NFPA):			
HEALTH: 2	FLAMMABILITY: 4 INSTABILITY: 1 SPECIAL HAZARDS: Refer to Section 2 & 3.			
HAZARD SCAL	LE: $0 = Minimal$ $1 = Slight$ $2 = Moderate$ $3 = Serious$ $4 = Severe$			
	Section 16. Other information			
	st revision of the safety data sheet June 29, 2020 version 2 (NSS ENTREPRISE INC.)			
Corrections	Sections 2; 3; 8; 9; 11			
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.			
Abbreviations				
ACGIH	American Conference of Governmental Industrial Hygienists			
ATE	Acute toxicity estimate			
CAS	Chemical Abstract Service			
DSL	Domestic Substance List			
IARC	International Agency for Research on Cancer			
IATA	International Air Transport Association			
IMDG	International Maritime Dangerous Goods Code			
LC	Lethal concentration			
LD	Lethal Dosage			
NIOSH	National Institute for Occupational Safety and Health			
NTP	National Toxicology Program (U.S.A.)			
OSHA	Occupational Safety and Health Administration (U.S.A.)			
PEL	Permissible Exposure Limit			
STEL	Short-term Exposure Limit			
TDG	Transport of dangerous goods in Canada			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
WHMIS	Workplace Hazardous Materials Information System knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability			
	knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability e accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the			
whatsoever for the	accuracy of completeness of the monitation contained neterin. I that determination of suitability of any material is the sole responsionity of the			

user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.